



# Anti-GABRG2 (aa37-53) monoclonal antibody, clone 20G20-D2-C9 (CABT-B225)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Specificity</b>	Reactive against the N-terminal extracellular domain (amino acids 37-53) of the gamma2 subunit of the GABA-A protein in rats.
<b>Target</b>	GABRG2
<b>Immunogen</b>	Generated against the gamma2 subunit of the GABA-A protein from rats
<b>Isotype</b>	IgG2b
<b>Source/Host</b>	Mouse
<b>Species Reactivity</b>	Rat
<b>Clone</b>	20G20-D2-C9
<b>Purification</b>	Protein G affinity purified
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	WB, IF, IHC, IP
<b>Epitope</b>	N-terminal extracellular domain (amino acids 37-53)
<b>Concentration</b>	1 mg/mL
<b>Size</b>	50 µg
<b>Buffer</b>	0.1M Sodium Phosphate, pH 7.4, 0.15M NaCl, 0.05% (w/v) Sodium Azide
<b>Preservative</b>	0.05% Sodium Azide

**Storage**

-20°C

---

## BACKGROUND

**Introduction**

GABA-A receptors are ligand-gated neurotransmitter receptors that function to mediate the fast synaptic inhibition within the brain. They are pentamers, composed from a variety of classes of subunits with gamma being just one class. Each subunit is composed of an extracellular N-terminal domain, four membrane spanning units, and a small extracellular C-terminal segment. Several mutations in the GABA(A) receptor subunit gamma-2 expression have been linked to epileptic syndromes that result in fibrile seizures.

---

**Keywords**

GABRG2;gamma-aminobutyric acid (GABA) A receptor, gamma 2;CAE2;ECA2;GEFSP3;gamma-aminobutyric acid receptor subunit gamma-2;GABA(A) receptor, gamma 2;GABA(A) receptor subunit gamma-2

---

## GENE INFORMATION

**Entrez Gene ID**

[2566](#)

---

**UniProt ID**

[P18507](#)

---