



Anti-CXCL12 polyclonal antibody (CPBT-65438RH)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product Overview

Rabbit anti Human SDF-1 alpha antibody recognizes human SDF-1 alpha, otherwise known as CXCL12a, a 68 amino acid stromal cell derived CXC chemokine, which arises from alternative splicing of the SDF-1 gene. The two isoforms, SDF-1 alpha and SDF-1 beta, share an identical amino acid sequence, except for an additional four residues in the C-Terminal region of the beta isoform. SDF-1 binds with high-affinity to the G protein-coupled receptor CXCR4 (fusin) and acts as a chemoattractant for T and B lymphocytes, monocytes and migratory neurons, and is a vital factor in haematopoiesis and angiogenesis. By competitively binding to CXCR4, SDF-1 acts as an inhibitor for the CXCR4-mediated entry of HIV-1 virus into target T-cells, and the SDF-1-CXCR4 interaction is important for the regulation of trafficking of normal and malignant stem cells. ELISA This biotinylated human SDF-1 α antibody may be used in a direct ELISA or as the detection reagent in a sandwich ELISA. Western Blotting This antibody may be used in Western Blotting under either reducing or non-reducing conditions.

Specificity	SDF-1 ALPHA
Isotype	IgG
Source/Host	Rabbit
Species Reactivity	Human
Conjugate	Biotin
Applications	ELISA; WB
Format	Purified IgG conjugated to Biotin - lyophilised
Size	50 μ g
Preservative	None

Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

GENE INFORMATION

Gene Name	CXCL12 chemokine (C-X-C motif) ligand 12 [Homo sapiens (human)]
Official Symbol	CXCL12
Synonyms	CXCL12; chemokine (C-X-C motif) ligand 12; IRH; PBSF; SDF1; TLSF; TPAR1; SCYB12; stromal cell-derived factor 1; intercrine reduced in hepatomas; pre-B cell growth-stimulating factor; SDF-1 ALPHA;
Entrez Gene ID	6387
Protein Refseq	NP_000600
UniProt ID	P48061
Chromosome Location	10q11.1
Pathway	Axon guidance; CXCR4-mediated signaling events; Chemokine receptors bind chemokines; Chemokine signaling pathway; Class A/1 (Rhodopsin-like receptors); Cytokine-cytokine receptor interaction; Defective ACTH causes Obesity and Pro-opiomelanocortinin deficiency (POMCD); Disease;
Function	CXCR chemokine receptor binding; chemokine activity; chemokine receptor binding; growth factor activity; receptor binding;
