



Anti-EFNB3 polyclonal antibody (CABT-BL1354)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Immunogen	Recombinant protein corresponding to amino acids of human EFNB3.
Isotype	IgG
Source/Host	Rabbit
Species Reactivity	Human
Purification	Antigen affinity purification
Conjugate	Unconjugated
Applications	IHC
Format	Liquid
Buffer	In PBS, pH 7.5 (40% glycerol, 0.02% sodium azide)
Preservative	0.02% Sodium Azide
Storage	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

BACKGROUND

Introduction

EFNB3, a member of the ephrin gene family, is important in brain development as well as in its maintenance. Moreover, since levels of EFNB3 expression were particularly high in several forebrain subregions compared to other brain subregions, it may play a pivotal role in forebrain function. The EPH and EPH-related receptors comprise the largest subfamily of receptor

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

protein-tyrosine kinases and have been implicated in mediating developmental events, particularly in the nervous system. EPH Receptors typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin ligands and receptors have been named by the Eph Nomenclature Committee (1997). Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. The Eph family of receptors are similarly divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands.

GENE INFORMATION

Entrez Gene ID	<u>1949</u>
Protein Refseq	NP_001397
UniProt ID	Q15768