



Anti-HBEGF (full length) polyclonal antibody (CABT-BL1758)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Immunogen	Recombinant full length protein, corresponding to amino acids 23-108 of Human HB EGF. The immunogen does not contain the pro-peptide.
Isotype	IgG
Source/Host	Goat
Species Reactivity	Human
Purification	Immunogen affinity purified
Conjugate	Unconjugated
Applications	ELISA, Neut, WB
Cellular Localization	Cell membrane and Secreted; extracellular space. Mature HB-EGF is released into the extracellular space and probably binds to a receptor.
Format	Liquid
Preservative	None
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.

BACKGROUND

Introduction Heparin-binding EGF-like growth factor (HB-EGF) is a member of the EGF family of proteins that in humans is encoded by the HBEGF gene. HB-EGF-like growth factor is synthesized as a

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

membrane-anchored mitogenic and chemotactic glycoprotein. An epidermal growth factor produced by monocytes and macrophages, due to an affinity for heparin is termed HB-EGF. It has been shown to play a role in wound healing, cardiac hypertrophy and heart development and function.[1] First identified in the conditioned media of human macrophage-like cells, HB-EGF is an 87 amino acid glycoprotein which displays highly regulated gene expression.[2] Ectodomain shedding results in the soluble mature form of HB-EGF which influences the mitogenicity and chemotactic factors for smooth muscle cells and fibroblasts. The transmembrane form of HB-EGF is the unique receptor for diphtheria toxin and functions in juxtacrine signaling in cells. Both forms of HB-EGF participate in normal physiological processes and in pathological processes including tumor progression and metastasis, organ hyperplasia, and atherosclerotic disease. HB-EGF can bind two locations on cell surfaces, heparan sulfate proteoglycans and EGF-receptor effecting cell to cell interactions.

GENE INFORMATION

Entrez Gene ID	<u>1839</u>
Protein Refseq	<u>NP_001936</u>
UniProt ID	Q9907 <u>5</u>