



## Anti-MMP25 polyclonal antibody (CABT-BL2476)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

Immunogen	Synthetic peptide from the C terminal region of human MMP25 conjugated to KLH
Isotype	IgG
Source/Host	Rabbit
Species Reactivity	Human
Purification	Protein G purified
Conjugate	Unconjugated
Applications	ELISA, WB
Cellular Localization	Cell Membrane; lipid-anchor; GPI-anchor.
Format	Liquid
Buffer	PBS
Preservative	0.09% Sodium Azide
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.

## **BACKGROUND**

**Introduction** Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of

extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

metastasis. Most MMPs are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. However, the protein encoded by this gene is a member of the membrane-type MMP (MT-MMP) subfamily, attached to the plasma membrane via a glycosylphosphatidyl inositol anchor. In response to bacterial infection or inflammation, the encoded protein is thought to inactivate alpha-1 proteinase inhibitor, a major tissue protectant against proteolytic enzymes released by activated neutrophils, facilitating the transendothelial migration of neutrophils to inflammatory sites. The encoded protein may also play a role in tumor invasion and metastasis through activation of MMP2. The gene has previously been referred to as MMP20 but has been renamed MMP25. [provided by RefSeq, Jul 2008]

## **GENE INFORMATION**

Entrez Gene ID	<u>64386</u>
Protein Refseq	<u>NP_071913</u>
UniProt ID	Q9NPA2