



# Rabbit Anti-Human Histone H3 (Di-Methyl-Lys18) monoclonal antibody, clone SN279 (CABT-L1375)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

|                           |                                                                                                                                                                                                            |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specificity</b>        | This antibody reacts to Histone H3 monomethylated at Lysine 18 (K18me1). No cross reactivity with dimethylated Lysine 18 (K18me2) or trimethylated Lysine 18(K18me3), or other methylations in histone H3. |
| <b>Target</b>             | Histone H3                                                                                                                                                                                                 |
| <b>Immunogen</b>          | Monomethyl-peptide corresponding to Monomethyl-Histone H3 (Lys18).                                                                                                                                         |
| <b>Isotype</b>            | IgG                                                                                                                                                                                                        |
| <b>Source/Host</b>        | Rabbit                                                                                                                                                                                                     |
| <b>Species Reactivity</b> | Human                                                                                                                                                                                                      |
| <b>Clone</b>              | SN279                                                                                                                                                                                                      |
| <b>Purification</b>       | Protein A Purified                                                                                                                                                                                         |
| <b>Conjugate</b>          | Unconjugated                                                                                                                                                                                               |
| <b>Applications</b>       | ELISA, WB                                                                                                                                                                                                  |
| <b>Format</b>             | Liquid                                                                                                                                                                                                     |
| <b>Concentration</b>      | 1 mg/ml                                                                                                                                                                                                    |
| <b>Buffer</b>             | PBS, pH 7.2-7.4, with 50% glycerol, 1% BSA                                                                                                                                                                 |
| <b>Preservative</b>       | 0.09% Sodium Azide                                                                                                                                                                                         |

# BACKGROUND

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Introduction | Histone H3 is one of the four core proteins of the nucleosome, and it is involved in transcription regulation, DNA repair, DNA replication and chromosomal stability. The N-terminal tail of Histone H3 undergoes many post-translational modifications, including phosphorylation, acetylation, multiple methylation, ubiquitination, and ADP-ribosylation to achieve its diverse functions. HistoneH3 is acetylated and deacetylated on N-terminal lysine residues. Acetylation removes the positive charge on the histone, decreasing the interaction with the negatively charged phosphate groups of DNA, and resulting in a more relaxed structure associated with greater levels of gene transcription. Acetylation of histone H3 at lysine 9 (H3K9Ac) is one of the most well-known epigenetic markers enriched in the promoter region of activated genes. |
| Keywords     | HTR12;histone H3;CENH3;Centromeric histone CENH3;F6F3.17;F6F3_17;Histone H3 like centromeric protein HTR12;HTR 12;Histone superfamily protein HTR12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |