



# Mouse Anti-Human IGFBP-6 monoclonal antibody, clone NN18 (CABT-ZB755)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Specificity</b>	It reacts with Human IGFBP-6
<b>Target</b>	IGFBP6
<b>Immunogen</b>	Recombinant Human IGFBP6/IBP6 Protein
<b>Isotype</b>	IgG
<b>Source/Host</b>	Mouse
<b>Species Reactivity</b>	Human
<b>Clone</b>	NN18
<b>Purification</b>	Protein A purified
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	ELISA(cap) We recommend the following for sandwich ELISA (Capture - Detection): CABT-ZB755 - CABT-ZB1068 This antibody will detect IGFBP-6 in antibody pair set. [ABPR-ZB335]
<b>Preparation</b>	This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human IGFBP6 / IBP6. The IgG fraction of the cell culture supernatant was purified by Protein A affinity chromatography.
<b>Format</b>	Purified, Liquid
<b>Concentration</b>	Lot specific

<b>Size</b>	50 $\mu$ L, 100 $\mu$ L, 200 $\mu$ L, 1 mL
<b>Buffer</b>	PBS
<b>Preservative</b>	None
<b>Storage</b>	This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.
<b>Ship</b>	Wet ice

## BACKGROUND

<b>Introduction</b>	Insulin-like growth factor-binding protein 6 (IGFBP6) is a 24-kDa protein that binds insulin-like growth factor 1 (IGF-1) and IGF-2 with high affinity and inhibits IGF action in vitro. The Insulin-like growth factor-binding protein also known as IGFBP serves as a carrier protein for Insulin-like growth factor 1. IGFBPs are distinct but are sharing regions with strong homology. All members of the IGFBP family bind IGF-I and IGF-II with about equal affinity. Insulin-like growth factor (IGF) binding proteins (IGFBPs) have been shown to either inhibit or enhance the action of IGF or act in an IGF-independent manner in the prostate. IGF-binding protein-4 (IGFBP-4) inhibits IGF-I action in vitro and is the most abundant IGFBP in the rodent arterial wall. IGFBP6 is directly downregulated by the beta-catenin/TCF complex in desmoid tumors, and imply a role for the IGF axis in the proliferation of desmoid tumors. There is mounting evidence that the structure of the IGFBP proteins plays a key role in the regulation of IGF bioavailability, by modulating its molecular size, capillary membrane permeability, target tissue specificity, cell membrane adherence, and IGF affinity.
<b>Keywords</b>	IGFBP6; insulin-like growth factor binding protein 6; insulin-like growth factor-binding protein 6; IBP-6

## GENE INFORMATION

<b>Synonyms</b>	IGFBP6; insulin-like growth factor binding protein 6; insulin-like growth factor-binding protein 6; IBP-6; IGFBP-6; IGF binding protein 6; IGF-binding protein 6; IBP6
<b>Entrez Gene ID</b>	<a href="#">3490</a>
<b>UniProt ID</b>	<a href="#">Q16270</a>