



## Human BCL2L11 blocking peptide (CDBP0597)

This product is for research use only and is not intended for diagnostic use.

### PRODUCT INFORMATION

<b>Product Overview</b>	Blocking/Immunizing peptide for anti-BIM (AD/ACD/ABCD isoforms) antibody
<b>Antigen Description</b>	The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. The protein encoded by this gene contains a Bcl-2 homology domain 3 (BH3). It has been shown to interact with other members of the BCL-2 protein family and to act as an apoptotic activator. The expression of this gene can be induced by nerve growth factor (NGF), as well as by the forkhead transcription factor FKHLR-L1, which suggests a role of this gene in neuronal and lymphocyte apoptosis. Transgenic studies of the mouse counterpart suggested that this gene functions as an essential initiator of apoptosis in thymocyte-negative selection. Several alternatively spliced transcript variants of this gene have been identified. [provided by RefSeq, Jun 2013]
<b>Species</b>	Human
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	Apuri, BL, ELISA
<b>Format</b>	Lyophilized powder
<b>Size</b>	100 µg
<b>Preservative</b>	None
<b>Storage</b>	Shipped at ambient temperature, store at -20°C.

### GENE INFORMATION

<b>Gene Name</b>	<a href="#">BCL2L11 BCL2-like 11 (apoptosis facilitator) [ Homo sapiens (human) ]</a>
------------------	---

---

<b>Official Symbol</b>	BCL2L11
<b>Synonyms</b>	BCL2L11; BCL2-like 11 (apoptosis facilitator); BAM; BIM; BOD; bcl-2-like protein 11; bcl-2 interacting protein Bim; bcl-2-related ovarian death agonist; bcl-2 interacting mediator of cell death;
<b>Entrez Gene ID</b>	<a href="#">10018</a>
<b>mRNA Refseq</b>	<a href="#">NM_001204106.1</a>
<b>Protein Refseq</b>	<a href="#">NP_001191035.1</a>
<b>UniProt ID</b>	O43521
<b>Chromosome Location</b>	2q13
<b>Pathway</b>	Activation of BH3-only proteins, organism-specific biosystem; Activation of BIM and translocation to mitochondria, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptosis, organism-specific biosystem; Apoptosis Modulation and Signaling, organism-specific biosystem; B Cell Receptor Signaling Pathway, organism-specific biosystem; BDNF signaling pathway, organism-specific biosystem; BH3-only proteins associate with and inactivate anti-apoptotic BCL-2 members, organism-specific biosystem
<b>Function</b>	contributes_to microtubule binding; microtubule binding; protein binding;

---