



## Human GOT1 blocking peptide (CDBP1395)

This product is for research use only and is not intended for diagnostic use.

### PRODUCT INFORMATION

Product Overview	Blocking/Immunizing peptide for anti-GOT1 (aa 22-35) antibody
Antigen Description	Glutamic-oxaloacetic transaminase is a pyridoxal phosphate-dependent enzyme which exists in cytoplasmic and mitochondrial forms, GOT1 and GOT2, respectively. GOT plays a role in amino acid metabolism and the urea and tricarboxylic acid cycles. The two enzymes are homodimeric and show close homology. [provided by RefSeq, Jul 2008]
Species	Human
Conjugate	Unconjugated
Applications	Apuri, BL, ELISA
Format	Lyophilized powder
Size	100 µg
Preservative	None
Storage	Shipped at ambient temperature, store at -20°C.

### GENE INFORMATION

Gene Name	<a href="#">GOT1 glutamic-oxaloacetic transaminase 1, soluble (aspartate aminotransferase 1) [ Homo sapiens ]</a>
Official Symbol	GOT1
Synonyms	GOT1; glutamic-oxaloacetic transaminase 1, soluble (aspartate aminotransferase 1); aspartate aminotransferase, cytoplasmic; transaminase A; growth-inhibiting protein 18; glutamate oxaloacetate transaminase 1; GIG18; ASTQTL1;

---

<b>Entrez Gene ID</b>	<a href="#">2805</a>
<b>mRNA Refseq</b>	<a href="#">NM_002079</a>
<b>Protein Refseq</b>	<a href="#">NP_002070</a>
<b>UniProt ID</b>	P17174
<b>Chromosome Location</b>	10q24.1-q25.1
<b>Pathway</b>	Alanine and aspartate metabolism, organism-specific biosystem; Alanine, aspartate and glutamate metabolism, organism-specific biosystem; Alanine, aspartate and glutamate metabolism, conserved biosystem; Amino acid synthesis and interconversion (transamination), organism-specific biosystem; Arginine and proline metabolism, organism-specific biosystem; Arginine and proline metabolism, conserved biosystem; Cysteine and methionine metabolism, organism-specific biosystem;
<b>Function</b>	L-aspartate:2-oxoglutarate aminotransferase activity; L-aspartate:2-oxoglutarate aminotransferase activity; L-aspartate:2-oxoglutarate aminotransferase activity; L-phenylalanine:2-oxoglutarate aminotransferase activity; carboxylic acid binding; phosphatid

---