



Human ZC3H12B blocking peptide (CDBP3229)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| | |
|----------------------------|---|
| Product Overview | Blocking peptide for anti-ZC3H12B antibody |
| Antigen Description | The protein encoded by this gene belongs to a family of CCCH-type zinc finger proteins that are involved in the proinflammatory activation of macrophages. The exact function of this family member is unknown, but it is thought to function as a ribonuclease. (provided by RefSeq, May 2010) |
| Species | Human |
| Conjugate | Unconjugated |
| Applications | BL |
| Format | Liquid |
| Concentration | 200 µg/ml |
| Size | 50 µg |
| Buffer | PBS containing 0.02% sodium azide |
| Preservative | 0.02% Sodium Azide |
| Storage | Store at -20°C, stable for one year. |

GENE INFORMATION

| | |
|------------------------|---|
| Gene Name | ZC3H12B zinc finger CCCH-type containing 12B [Homo sapiens] |
| Official Symbol | ZC3H12B |
| Synonyms | ZC3H12B; zinc finger CCCH-type containing 12B; chromosome X open reading frame 32 , |

CXorf32; probable ribonuclease ZC3H12B; MCP induced protein 2; MCPIP2; MCP-induced protein 2; zinc finger CCCH domain-containing protein 12B; CXorf32;

| | |
|----------------------------|---|
| Entrez Gene ID | 340554 |
| mRNA Refseq | NM_001010888 |
| Protein Refseq | NP_001010888 |
| UniProt ID | Q5HYM0 |
| Chromosome Location | Xq12 |
| Function | endonuclease activity; hydrolase activity; metal ion binding; nucleic acid binding; zinc ion binding; |
