



TNFRSF6B blocking peptide (CDBP5368)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| | |
|----------------------------|--|
| Antigen Description | This gene belongs to the tumor necrosis factor receptor superfamily. The encoded protein is postulated to play a regulatory role in suppressing FasL- and LIGHT-mediated cell death. It acts as a decoy receptor that competes with death receptors for ligand binding. Over-expression of this gene has been noted in gastrointestinal tract tumors. Read-through transcription into this gene from the neighboring upstream gene, which encodes regulator of telomere elongation helicase 1 (RTEL1), generates a non-coding transcript. [provided by RefSeq, Feb 2011] |
| Conjugate | Unconjugated |
| Applications | Used as a blocking peptide in immunoblotting applications. |
| Format | Liquid |
| Concentration | 200 µg/mL |
| Size | 0.05 mg |
| Preservative | None |
| Storage | -20°C |

GENE INFORMATION

| | |
|------------------------|---|
| Gene Name | TNFRSF6B tumor necrosis factor receptor superfamily, member 6b, decoy [Homo sapiens (human)] |
| Official Symbol | TNFRSF6B |
| Synonyms | TNFRSF6B; tumor necrosis factor receptor superfamily, member 6b, decoy; M68; TR6; DCR3; M68E; DJ583P15.1.1; tumor necrosis factor receptor superfamily member 6B; decoy receptor 3; decoy receptor for Fas ligand |

| | |
|-----------------------|--|
| Entrez Gene ID | 8771 |
| mRNA Refseq | NM_003823 |
| Protein Refseq | NP_003814 |
| UniProt ID | O95407 |
| Pathway | Apoptosis Modulation and Signaling; Cytokine-cytokine receptor interaction; Cytosolic iron-sulfur cluster assembly; Metabolism |
| Function | protein binding; receptor activity |