

DFFB blocking peptide (CDBP5378)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description	Apoptosis is a cell death process that removes toxic and/or useless cells during mammalian development. The apoptotic process is accompanied by shrinkage and fragmentation of the cells and nuclei and degradation of the chromosomal DNA into nucleosomal units. DNA fragmentation factor (DFF) is a heterodimeric protein of 40-kD (DFFB) and 45-kD (DFFA) subunits. DFFA is the substrate for caspase-3 and triggers DNA fragmentation during apoptosis. DFF becomes activated when DFFA is cleaved by caspase-3. The cleaved fragments of DFFA dissociate from DFFB, the active component of DFF. DFFB has been found to trigger both DNA fragmentation and chromatin condensation during apoptosis. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene but the biological validity of some of these variants has not been determined. [provided by RefSeq, Sep 2013]
Conjugate	Unconjugated
Applications	Used as a blocking peptide in immunoblotting applications.
Format	Liquid
Concentration	200 μg/mL
Size	0.05 mg
Preservative	None
Storage	-20°C

GENE INFORMATION

Gene Name	DFFB DNA fragmentation factor, 40kDa, beta polypeptide (caspase-activated DNase) [Homo sapiens (human)]

45-1 Ramsey Road, Shirley, NY 11967, USA
Email: info@creative-diagnostics.com
Tel: 1-631-624-4882 Fax: 1-631-938-8221

Official Symbol	DFFB
Synonyms	DFFB; DNA fragmentation factor, 40kDa, beta polypeptide (caspase-activated DNase); CAD; CPAN; DFF2; DFF40; DFF-40; DNA fragmentation factor subunit beta; caspase-activated DNase; caspase-activated nuclease; caspase-activated deoxyribonuclease; DNA fragmentation factor 40 kDa subunit
Entrez Gene ID	1677
mRNA Refseq	NM_001282669
Protein Refseq	NP_001269598
UniProt ID	O76075
Pathway	Activation of DNA fragmentation factor; Apoptosis; Apoptosis Modulation and Signaling; Apoptosis induced DNA fragmentation; Apoptotic execution phase; Caspase cascade in apoptosis; FAS pathway and Stress induction of HSP regulation; HIV-1 Nef: Negative effector of Fas and TNF-alpha
Function	DNA binding; deoxyribonuclease activity; enzyme binding; nicotinate phosphoribosyltransferase activity

45-1 Ramsey Road, Shirley, NY 11967, USA
Email: info@creative-diagnostics.com
Tel: 1-631-624-4882 Fax: 1-631-938-8221