



## DPF3 blocking peptide (CDBP5391)

This product is for research use only and is not intended for diagnostic use.

### PRODUCT INFORMATION

<b>Antigen Description</b>	This gene encodes a member of the D4 protein family. The encoded protein is a transcription regulator that binds acetylated histones and is a component of the BAF chromatin remodeling complex. Alternate splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2013]
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	Used as a blocking peptide in immunoblotting applications.
<b>Format</b>	Liquid
<b>Concentration</b>	200 µg/mL
<b>Size</b>	0.05 mg
<b>Preservative</b>	None
<b>Storage</b>	-20°C

### GENE INFORMATION

<b>Gene Name</b>	<a href="#">DPF3 D4, zinc and double PHD fingers, family 3 [ Homo sapiens (human) ]</a>
<b>Official Symbol</b>	DPF3
<b>Synonyms</b>	DPF3; D4, zinc and double PHD fingers, family 3; CERD4; BAF45C; zinc finger protein DPF3; BRG1-associated factor 45C; zinc finger protein cer-d4
<b>Entrez Gene ID</b>	<a href="#">8110</a>
<b>mRNA Refseq</b>	<a href="#">NM_001280542</a>

<b>Protein Refseq</b>	<a href="#">NP_001267471</a>
<b>UniProt ID</b>	Q92784
<b>Function</b>	zinc ion binding