



IL32 blocking peptide (CDBP5573)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description	This gene encodes a member of the cytokine family. The protein contains a tyrosine sulfation site, 3 potential N-myristoylation sites, multiple putative phosphorylation sites, and an RGD cell-attachment sequence. Expression of this protein is increased after the activation of T-cells by mitogens or the activation of NK cells by IL-2. This protein induces the production of TNFalpha from macrophage cells. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq, Jul 2008]
Conjugate	Unconjugated
Applications	Used as a blocking peptide in immunoblotting applications.
Format	Liquid
Concentration	200 µg/mL
Size	0.05 mg
Preservative	None
Storage	-20°C

GENE INFORMATION

Gene Name	IL32 interleukin 32 [Homo sapiens (human)]
Official Symbol	IL32
Synonyms	IL32; interleukin 32; NK4; TAIF; TAIFa; TAIFb; TAIFc; TAIFd; IL-32beta; IL-32alpha; IL-32delta; IL-32gamma; interleukin-32; interleukin-32 eta; interleukin-32 small; interleukin-32 theta; natural killer cells protein 4; natural killer cell transcript 4; tumor necrosis factor alpha-inducing factor

Entrez Gene ID	9235
mRNA Refseq	NM_001012631
Protein Refseq	NP_001012649
UniProt ID	P24001
Function	cytokine activity; protein binding
