



IL17RE blocking peptide (CDBP5579)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Antigen Description | This gene encodes a transmembrane protein that functions as the receptor for interleukin-17C. The encoded protein signals to downstream components of the mitogen activated protein kinase (MAPK) pathway. Activity of this protein is important in the immune response to bacterial pathogens. Alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, Sep 2013] |
| Conjugate | Unconjugated |
| Applications | Used as a blocking peptide in immunoblotting applications. |
| Format | Liquid |
| Concentration | 200 µg/mL |
| Size | 0.05 mg |
| Preservative | None |
| Storage | -20°C |

GENE INFORMATION

| | |
|------------------------|--------------------------------------------------------------------------------|
| Gene Name | IL17RE interleukin 17 receptor E [Homo sapiens (human)] |
| Official Symbol | IL17RE |
| Synonyms | IL17RE; interleukin 17 receptor E; interleukin-17 receptor E; IL-17 receptor E |
| Entrez Gene ID | 132014 |
| mRNA Refseq | NM_001193380 |

| | |
|-----------------------|------------------------------|
| Protein Refseq | NP_001180309 |
| UniProt ID | Q8NFR9 |
| Pathway | IL17 signaling pathway |
| Function | protein binding |
