



WAC blocking peptide (CDBP6425)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description	The protein encoded by this gene contains a WW domain, which is a protein module found in a
	wide range of signaling proteins. This domain mediates protein-protein interactions and binds
	proteins containing short linear peptide motifs that are proline-rich or contain at least one
	proline. This gene product shares 94% sequence identity with the WAC protein in mouse,
	however, its exact function is not known. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, Dec 2008]

Conjugate	Unconjugated
Applications	Used as a blocking peptide in immunoblotting applications.
Format	Liquid
Concentration	200 μg/mL
Size	0.05 mg
Preservative	None
Storage	-20°C

GENE INFORMATION

Gene Name	WAC WW domain containing adaptor with coiled-coil [Homo sapiens (human)]
Official Symbol	WAC
Synonyms	WAC; WW domain containing adaptor with coiled-coil; Wwp4; BM-016; PRO1741; WW domain-containing adapter protein with coiled-coil
Entrez Gene ID	<u>51322</u>

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

mRNA Refseq	NM_016628
Protein Refseq	NP 057712
UniProt ID	Q9BTA9
Function	RNA polymerase II core binding; chromatin binding; protein binding