



## **Human ICAM1 peptide (DAG-P0562)**

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

Antigen Description	This gene encodes a cell surface glycoprotein which is typically expressed on endothelial cells and cells of the immune system. It binds to integrins of type CD11a / CD18, or CD11b / CD18 and is also exploited by Rhinovirus as a receptor. [provided by RefSeq, Jul 2008]
Purity	70 - 90% by HPLC.
Conjugate	Unconjugated
Sequence Similarities	Belongs to the immunoglobulin superfamily. ICAM family. Contains 5 Ig-like C2-type (immunoglobulin-like) domains.
Format	Liquid
Preservative	None
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles. Information available upon request.

## **GENE INFORMATION**

Gene Name	ICAM1 intercellular adhesion molecule 1 [ Homo sapiens (human) ]
Official Symbol	ICAM1
Synonyms	ICAM1; intercellular adhesion molecule 1; BB2; CD54; P3.58; ICAM-1; cell surface glycoprotein P3.58; major group rhinovirus receptor; intercellular adhesion molecule 1 (CD54), human rhinovirus receptor;
Entrez Gene ID	3383
mRNA Refseq	NM 000201.2

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Protein Refseq	NP_000192.2
UniProt ID	P05362
Chromosome Location	19p13.3-p13.2
Pathway	Adaptive Immune System, organism-specific biosystem; African trypanosomiasis, organism-specific biosystem; African trypanosomiasis, conserved biosystem; Cell adhesion molecules (CAMs), organism-specific biosystem; Cell adhesion molecules (CAMs), conserved biosystem; Cytokine Signaling in Immune system, organism-specific biosystem; Epstein-Barr virus infection, organism-specific biosystem; Epstein-Barr virus infection, conserved biosystem; Extracellular matrix organization, organism-specific bios
Function	integrin binding; protein binding; receptor activity; transmembrane signaling receptor activity; virus receptor activity;