



Human C-reactive protein (>99%) (DAGA-835)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description	C-reactive protein (CRP) is a protein found in the blood, the levels of which rise in response to inflammation (i.e. C-reactive protein is an acute-phase protein). Its physiological role is to bind to phosphocholine expressed on the surface of dead or dying cells (and some types of bacteria) in order to activate the complement system via the C1q complex. CRP is synthesized by the liver in response to factors released by fat cells (adipocytes). It is a member of the pentraxin family of proteins. It is not related to C-peptide or protein C. C-reactive protein was the first pattern recognition receptor (PRR) to be identified.
----------------------------	--

Purity	99% by SDS-PAGE
Conjugate	Unconjugated
Molecular Weight	21 kDa
Format	Liquid
Concentration	Batch dependent - please inquire should you have specific requirements
Buffer	20 mM Tris, 280 mM NaCl, 5 mM CaCl ₂ , pH 8.0 ± 1.0
Preservative	0.09% Sodium Azide
Storage	2-8°C

BACKGROUND

Keywords	CRP; C-reactive protein; pentraxin-related; PTX1; MGC88244; MGC149895; pentraxin 1; OTTHUMP00000033307
-----------------	--