



Anti-EBV Early Antigen Monoclonal antibody, Clone CDI503 (DMAB3326)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| Product Overview | Monoclonal Antibody to Epstein Barr Virus (EBV) Early Antigen-R Homologue Bcl-2 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specificity | Recognizes Epstein-Barr virus. Specific for the early antigen (restricted) homologue Bcl-2 |
| Target | EBV Early Antigen |
| Immunogen | Infected cell lysate |
| Isotype | IgG1 |
| Source/Host | Mouse |
| Species Reactivity | EBV |
| Clone | CDI503 |
| Affinity Constant | Not determined |
| Purification | >90% pure. Protein A chromatography |
| Conjugate | Unconjugated |
| Applications | Suitable for use in IFA, Western blot, and IHC (weak, antigen retrieval required). Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. |
| Format | Purified, Liquid |
| Concentration | 100ug/ml (OD280nm, E0.1% = 1.3) |
| Size | 1 mg |
| | |

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

| Buffer | 0.01M PBS, pH 7.2. Product contains no stabilizing protein. |
|--------------|------------------------------------------------------------------------------|
| Preservative | 0.1% Sodium Azide |
| Storage | Upon receipt, aliquot and store at -20°C. Avoid multiple freeze/thaw cycles. |

BACKGROUND

| Introduction | The Epstein–Barrvirus (EBV), also called human herpesvirus 4 (HHV-4), is a virus of theherpes family, which includes herpes simplex virus 1 and 2, and is one of themost common viruses in humans. It is best known as the cause of infectiousmononucleosis. It is also associated with particular forms of cancer, particularlyHodgkin"s lymphoma, Burkitt"s lymphoma, nasopharyngeal carcinoma, and centralnervous system lymphomas associated with HIV. Finally, there is evidence thatinfection with the virus is associated with a higher risk of certainautoimmune diseases, especially dermatomyositis, systemic lupuserythematosus, rheumatoid arthritis, Sjögren"s syndrome, and multiplesclerosis. |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Keywords | EBVEarly Antigen-R Homologue Bcl-2; Herpesviridae; Gammaherpesvirinae; Lymphocryptovirus; Human herpesvirus 4 (HHV-4) |

Email: info@creative-diagnostics.com