



Anti-SLC2A10 (C-terminal) polyclonal antibody (DPAB-DC1731)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description	SLC2A10 (solute carrier family 2 (facilitated glucose transporter), member 10) is a protein-coding gene. Diseases associated with SLC2A10 include arterial tortuosity syndrome, and loeys-dietz syndrome, and among its related super-pathways are Transmembrane transport of small molecules and PAK Pathway. GO annotations related to this gene include sugar:hydrogen symporter activity. An important paralog of this gene is SLC2A13.
Immunogen	A synthetic peptide corresponding to C-terminus rat Slc2a10.
Isotype	IgG
Source/Host	Rabbit
Species Reactivity	Human, Mouse, Rat
Conjugate	Unconjugated
Applications	WB, IP, ELISA,
Format	Liquid
Size	100 µg
Buffer	In buffer containing 0.02% sodium azide
Preservative	0.02% Sodium Azide
Storage	Store at -20°C. Aliquot to avoid repeated freezing and thawing.

GENE INFORMATION

Gene Name	Slc2a10 solute carrier family 2 (facilitated glucose transporter), member 10 [Rattus norvegicus (Norway rat)]
Official Symbol	SLC2A10
Synonyms	SLC2A10; solute carrier family 2 (facilitated glucose transporter), member 10; solute carrier family 2, facilitated glucose transporter member 10;
Entrez Gene ID	366251
Protein Refseq	NP_001102433
Chromosome Location	3q42
Function	substrate-specific transmembrane transporter activity;
