



# Anti-CRLF2 (internal region) polyclonal antibody (DPAB-DC2620)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

|                            |   |
|----------------------------|---|
| <b>Antigen Description</b> | CRLF2 (cytokine receptor-like factor 2) is a protein-coding gene. Diseases associated with CRLF2 include eczema herpeticum, and cbic, and among its related super-pathways are STAT3 Pathway. |
| <b>Immunogen</b>           | A synthetic peptide corresponding to internal region 21 amino acids of mouse Crlf2.   |
| <b>Isotype</b>             | IgG   |
| <b>Source/Host</b>         | Rabbit  |
| <b>Species Reactivity</b>  | Mouse   |
| <b>Conjugate</b>           | Unconjugated  |
| <b>Applications</b>        | WB (Tissue lysate),   |
| <b>Format</b>              | Liquid  |
| <b>Size</b>                | 100 µg  |
| <b>Buffer</b>              | In PBS (0.02% sodium azide)   |
| <b>Preservative</b>        | 0.02% Sodium Azide  |
| <b>Storage</b>             | Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.  |

## GENE INFORMATION

**Gene Name** [Crlf2 cytokine receptor-like factor 2 \[ Mus musculus \(house mouse\) \]](#)

|                            |  |
|----------------------------|--|
| <b>Official Symbol</b>     | CRLF2  |
| <b>Synonyms</b>            | CRLF2; cytokine receptor-like factor 2; CRLM2; Ly114; Tpte2; Tslpr; CRLM-2; delta 1; TSLP receptor; lymphocyte antigen 114; type I cytokine receptor delta 1; cytokine receptor-like molecule 2; thymic stromal lymphopoietin protein receptor; thymic stromal-derived lymphopoietin, receptor; transmembrane phosphoinositide 3-phosphatase and tensin homolog 2; |
| <b>Entrez Gene ID</b>      | <a href="#">57914</a>  |
| <b>Protein Refseq</b>      | <a href="#">NP_001158207</a>   |
| <b>UniProt ID</b>          | <a href="#">Q8CII9</a>   |
| <b>Chromosome Location</b> | 5 F; 5   |
| <b>Pathway</b>             | Cytokine-cytokine receptor interaction; Jak-STAT signaling pathway;  |
| <b>Function</b>            | cytokine activity;   |