



# Anti-EXD2 (aa 335-442) polyclonal antibody (DPABH-15972)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Antigen Description</b>	This gene encodes a kelch domain-containing protein which is upregulated in cancer. Upregulated expression of the encoded protein may provide an alternative pathway for tumors to maintain aggressiveness in the absence of epidermal growth factor receptor dependence. Alternative splicing results in multiple transcript variants.
<b>Immunogen</b>	Recombinant fragment, corresponding to amino acids 335-442 of Human EXD2
<b>Isotype</b>	IgG
<b>Source/Host</b>	Rabbit
<b>Species Reactivity</b>	Human
<b>Purification</b>	Immunogen affinity purified
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	ICC/IF, WB, IHC-P
<b>Format</b>	Liquid
<b>Size</b>	100 µl
<b>Buffer</b>	pH: 7.20; Constituents: 59% PBS, 40% Glycerol
<b>Preservative</b>	0.02% Sodium Azide
<b>Storage</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

## GENE INFORMATION

---

<b>Gene Name</b>	<a href="#">EXD2 exonuclease 3-5 domain containing 3 [ Homo sapiens ]</a>
<b>Official Symbol</b>	EXD2
<b>Synonyms</b>	EXD2; exonuclease 3-5 domain containing 2; EXDL2; C14orf114; exonuclease 3-5 domain-containing protein 2; exonuclease 3-5 domain-like 2; exonuclease 3-5 domain-like-containing protein 2;
<b>Entrez Gene ID</b>	<a href="#">55218</a>
<b>Protein Refseq</b>	<a href="#">NP_001180289.1</a>
<b>UniProt ID</b>	<a href="#">Q9NVH0</a>
<b>Function</b>	3-5 exonuclease activity; nucleic acid binding;

---