



# Anti-Triamcinolone Acetonide polyclonal antibody (DPABY-1006)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Immunogen</b>	Triamcinolone Acetonide antibody was raised in sheep using Triamcinolone Acetonide CJ-4-51 as the immunogen
<b>Source/Host</b>	Sheep
<b>Species Reactivity</b>	N/A
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	ELISA Pr*
<b>Format</b>	Liquid
<b>Size</b>	100 µl
<b>Buffer</b>	Ig fraction supplied in liquid form in 20 mM phosphate buffer, 150 mM sodium chloride and 0.09% sodium azide, pH 7.2
<b>Preservative</b>	0.09% Sodium Azide
<b>Storage</b>	Store at 2-8 °C for short term storage or -20 °C for up to 2 years

## BACKGROUND

<b>Introduction</b>	Triamcinolone Acetonide is a more potent type of triamcinolone (synthetic corticosteroid), being about 8 times as effective as prednisone. It is used to treat medical conditions, such as eczema, psoriasis, arthritis, allergies, ulcerative colitis, lupus, sympathetic ophthalmia, temporal arteritis, uveitis, and ocular inflammation, visualization during vitrectomy and the prevention of asthma attacks. Triamcinolone Acetonide has an elimination half-life of 1.5-2.5 hours in
---------------------	---

Humans.

---

**Keywords**

Triamcinolone Acetonide; Kenalog; Polcortolon; Aristoderm; Aristogel; Triacetone; Triclinolone; Azmacort; kenalone; Nasacort; Solodelf;

---