



## Goat anti-Human Marapsin/Pancreasin Polyclonal antibody (DPABY-349)

This product is for research use only and is not intended for diagnostic use.

## **PRODUCT INFORMATION**

Antigen Description	Marapsin, pancreasin, and channel-activating protease 2 (CAP-2) are different names for the same serine protease that is expressed strongly in the pancreas. Synthesized as a single-chain proenzyme, marapsin is activated to form a disulfide bond-linked dimer between the pro peptide and the serine protease domain.
Specificity	Detects human Marapsin/Pancreasin in ELISAs and Western blots. In sandwich immunoassays, less than 0.1%cross-reactivity with recombinant mouse Marapsin is observed.
Immunogen	Mouse myeloma cell line NS0-derived recombinant human Marapsin/Pancreasin. Ala23-Lys290 Accession Number Q9BQR3
Isotype	IgG
Source/Host	Goat
Species Reactivity	Human
Purification	Antigen Affinity-purified
Conjugate	Unconjugated
Applications	Western Blot, Immunoprecipitation, ELISA Capture (Matched Pair), Neutralization
Format	Liquid
Size	100 μg
Buffer	Lyophilized from a 0.2 $\mu m$ filtered solution in phosphate-buffered saline (PBS) with 5% trehalose.
Preservative	None

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221 © Creative Diagnostic

Email: info@creative-diagnostics.com

## Storage

Lyophilized samples are stable for twelve months from date of receipt when stored at -20 °C to -70 °C. Upon reconstitution, the antibody can be stored at 2 °Cto 8 °C for 1 month without detectable loss of activity. Reconstituted antibody can also be aliquotted and stored frozen at -20 °C to -70 °C in a manual defrost freezer for six months without detectable loss of activity. Avoid repeated freeze-thaw cycles.

## **GENE INFORMATION**

Gene Name	PRSS27 protease, serine 27 [ Homo sapiens (human) ]
Official Symbol	PRSS27
Synonyms	PRSS27; protease, serine 27; MPN; CAPH2; serine protease 27; marapsin; pancreasin; channel-activating protease 2;
Entrez Gene ID	83886
Protein Refseq	NP 114154
UniProt ID	Q9BQR3
Chromosome Location	16p13.3
Function	serine-type endopeptidase activity;