



# Anti-IL11 polyclonal antibody [Biotin] (DPABY-439)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Antigen Description</b>	Interleukin 11 (IL-11), also known as adipogenesis inhibitory factor (AGIF), has multiple effects on both hematopoietic and nonhematopoietic cells. Many of the biological effects described for IL-11 overlap those for IL-6. IL-11 exerts its biological activities through binding to a specific high-affinity receptor complex consisting of an IL-11 receptor chain and gp130.
<b>Specificity</b>	Detects human IL-11 in ELISAs and Western blots. In sandwich immunoassays, approximately 20% cross-reactivity with recombinant mouse IL-11 is observed.
<b>Immunogen</b>	S. frugiperda insect ovarian cell line Sf 21-derived recombinant human IL-11 . Pro22-Leu199 Accession Number P20809
<b>Isotype</b>	IgG
<b>Source/Host</b>	Goat
<b>Species Reactivity</b>	Human
<b>Purification</b>	Antigen Affinity-purified
<b>Conjugate</b>	Biotin
<b>Applications</b>	Western Blot, ELISA Detection (Matched Pair)
<b>Format</b>	Liquid
<b>Size</b>	50 µg
<b>Buffer</b>	Lyophilized from a 0.2 µm filtered solution in PBS with BSA as a carrier protein.
<b>Preservative</b>	None

<b>Storage</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
	12 months from date of receipt, -20 to -70 °C as supplied.
	1 month, 2 to 8 °C under sterile conditions after reconstitution.
	6 months, -20 to -70 °C under sterile conditions after reconstitution.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">IL11 interleukin 11 [ Homo sapiens (human) ]</a>
<b>Official Symbol</b>	IL11
<b>Synonyms</b>	IL11; interleukin 11; AGIF; IL-11; interleukin-11; oprelvekin; adipogenesis inhibitory factor;
<b>Entrez Gene ID</b>	<a href="#">3589</a>
<b>Protein Refseq</b>	<a href="#">NP_000632</a>
<b>UniProt ID</b>	<a href="#">A8K3F7</a>
<b>Chromosome Location</b>	19q13.3-q13.4
<b>Pathway</b>	Cytokine-cytokine receptor interaction; Hematopoietic cell lineage; Integrated Pancreatic Cancer Pathway; Interleukin-11 Signaling Pathway; Jak-STAT signaling pathway; Rheumatoid arthritis;
<b>Function</b>	cytokine activity; growth factor activity; interleukin-11 receptor binding;