



Anti-PTX3 polyclonal antibody [Biotin] (DPABY-619)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description	Pentraxin 3 (PTX3), also known as TNF-stimulated gene 14 (TSG-14), is a secreted glycoprotein belonging to the Pentraxin family of proteins. It is the prototypical long Pentraxin, exhibiting a C-terminal Pentraxin domain characteristic of the family, and a unique N-terminal domain. It is produced by several cell types including endothelial and mononuclear cells. PTX3 acts as a pattern recognition receptor with non-redundant roles in the innate immune response to several microbial agents including the fungal pathogen Aspergillus fumigatus. Overexpression leads to enhanced pro-inflammatory responses. PTX3 is induced in response to LPS and inflammatory cytokines including TNF-alpha and IL-1 beta.
Specificity	Detects mouse Pentraxin 3/TSG-14 in ELISAs and Western blots. In sandwich immunoassays, less than 0.2% cross-reactivity with recombinant human Pentraxin 3, recombinant mouse (rm)TSG and rmCRP is observed.
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse Pentraxin 3/TSG-14. Glu18-Ser381 Accession Number P48759
Isotype	IgG
Source/Host	Goat
Species Reactivity	Mouse
Purification	Antigen Affinity-purified
Conjugate	Biotin
Applications	Western Blot, ELISA Detection (Matched Pair)
Format	Liquid

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Size	50 μg
Buffer	Lyophilized from a 0.2 μm filtered solution in PBS with BSA as a carrier protein.
Preservative	None
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 °C as supplied. 1 month, 2 to 8 °C under sterile conditions after reconstitution. 6 months, -20 to -70 °C under sterile conditions after reconstitution.

GENE INFORMATION

Gene Name	Ptx3 pentraxin related gene [Mus musculus (house mouse)]
Official Symbol	PTX3
Synonyms	PTX3; pentraxin related gene; TSG-14; Al607804; pentraxin-related protein PTX3; pentraxin 3; pentaxin related; pentaxin-related protein PTX3; tumor necrosis factor-inducible gene 14 protein;
Entrez Gene ID	<u>19288</u>
Protein Refseq	NP 033013
UniProt ID	<u>P48759</u>
Chromosome Location	3 E1; 3 30.25 cM
Function	(1->3)-beta-D-glucan binding; complement component C1q binding; virion binding;