



Anti-Haptoglobin polyclonal antibody (CABT-BL1831)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Human Haptoglobin
Goat
Human
Unconjugated
IEP, DID, WB, ELISA
Liquid
PBS, pH 7.2
None
2-4°C.

BACKGROUND

Introduction

As a result of hemolysis, hemoglobin is found to accumulate in the kidney and is secreted in the urine. Haptoglobin captures, and combines with free plasma hemoglobin to allow hepatic recycling of heme iron and to prevent kidney damage. Haptoglobin also acts as an Antimicrobial; Antioxidant, has antibacterial activity and plays a role in modulating many aspects of the acute phase response. Hemoglobin/haptoglobin complexes are rapidely cleared by the macrophage CD163 scavenger receptor expressed on the surface of liver Kupfer cells through an endocytic lysosomal degradation pathway. Uncleaved haptoglogin, also known as zonulin, plays a role in intestinal permeability, allowing intercellular tight junction disassembly, and controlling the equilibrium between tolerance and immunity to non-self antigens.

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

GENE INFORMATION

Entrez Gene ID	<u>3240</u>
Protein Refseq	NP_001119574
UniProt ID	<u>P00738</u>