



# Mouse Anti-Human HER2/neu monoclonal antibody, clone JID113 (CABT-L2806)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Product Overview</b>	This antibody is intended for qualified laboratories to qualitatively identify by light microscopy the presence of associated antigens in sections of formalin-fixed, paraffin-embedded tissue sections using IHC test methods.
<b>Specificity</b>	Human HER2/neu
<b>Isotype</b>	IgG
<b>Source/Host</b>	Mouse
<b>Species Reactivity</b>	Human
<b>Clone</b>	JID113
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	IHC
<b>Reconstitution</b>	The prediluted antibody does not require any mixing, dilution, reconstitution, or titration; the antibody is ready-to-use and optimized for staining. The concentrated antibody requires dilution in the optimized buffer, to the recommended working dilution range.
<b>Positive Control</b>	Breast Carcinoma
<b>Format</b>	Liquid
<b>Size</b>	Predilute: 7 ml, Concentrate: 100 µl, Concentrate: 1 ml
<b>Buffer</b>	Predilute: Antibody Diluent Buffer Concentrate: Tris Buffer, pH 7.3 - 7.7, with 1% BSA

<b>Preservative</b>	< 0.1% Sodium Azide
<b>Storage</b>	Store at 2-8°C. Do not freeze.
<b>Ship</b>	Wet ice
<b>Warnings</b>	This antibody is intended for use in Immunohistochemical applications on formalin-fixed paraffin-embedded tissues (FFPE), frozen tissue sections and cell preparations.

## BACKGROUND

<b>Introduction</b>	The Her2/Neu (c-erbB-2) proto-oncogene is a transmembrane receptor tyrosine kinase that is clinically indicated in a number of carcinomas. Overexpression of the c-erbB-2 protein has been associated with ductal breast cancer, as well as pulmonary and gastric adenocarcinomas. A correlation between Her2 and p53 has also been documented, as overexpression of both proteins has been associated with early invasion and metastasis in bladder cancer.
<b>Keywords</b>	ERBB2;erb-b2 receptor tyrosine kinase 2;NEU;NGL;HER2;TKR1;CD340;HER-2;MLN 19;HER-2/neu

## GENE INFORMATION

<b>Gene Name</b>	ERBB2 erb-b2 receptor tyrosine kinase 2 [ Homo sapiens (human) ]
<b>Official Symbol</b>	ERBB2
<b>Synonyms</b>	ERBB2; erb-b2 receptor tyrosine kinase 2; NEU; NGL; HER2; TKR1; CD340; HER-2; MLN 19; HER-2/neu; receptor tyrosine-protein kinase erbB-2; herstatin; p185erbB2; proto-oncogene Neu; c-erb B2/neu protein; proto-oncogene c-ErbB-2; metastatic lymph node gene 19 protein; human epidermal growth factor receptor 2; neuro/glioblastoma derived oncogene homolog; tyrosine kinase-type cell surface receptor HER2; neuroblastoma/glioblastoma derived oncogene homolog; v-erb-b2 avian erythroblastic leukemia viral oncoprotein 2; v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 2; v-erb-b2 erythroblastic leukemia viral oncogene homolog 2, neuro/glioblastoma derived oncogene homolog;
<b>Entrez Gene ID</b>	<a href="#">2064</a>
<b>Protein Refseq</b>	NP_001005862
<b>UniProt ID</b>	<a href="#">P04626</a>
<b>Chromosome Location</b>	17q12
<b>Pathway</b>	Adaptive Immune System; Adherens junction; Alpha6-Beta4 Integrin Signaling Pathway; Axon guidance; Bladder cancer; Calcium signaling pathway; Central carbon metabolism in cancer;

---

**Function**

ATP binding; ErbB-3 class receptor binding; RNA polymerase I core binding; contributes\_to growth factor binding; identical protein binding; protein C-terminus binding; protein binding; protein dimerization activity; protein heterodimerization activity; protein phosphatase binding; protein tyrosine kinase activity; receptor signaling protein tyrosine kinase activity; transmembrane receptor protein tyrosine kinase activity; transmembrane signaling receptor activity;

---