



Anti-PSMD2 monoclonal antibody, clone 2F8 (CABT-ZC1272)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product Overview	Mouse Monoclonal Antibody to Human PSMD2 molecule
Antigen Description	The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes one of the non-ATPase subunits of the 19S regulator lid. In addition to participation in proteasome function, this subunit may also participate in the TNF signalling pathway since it interacts with the tumor necrosis factor type 1 receptor. A pseudogene has been identified on chromosome 1.
Target	PSMD2
Immunogen	Full length human recombinant protein of human PSMD2 produced in HEK293T cell.
Isotype	lgG1
Source/Host	Mouse
Species Reactivity	Human
Clone	2F8
Conjugate	Unconjugated
Applications	ELISA, LMNX

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Buffer	Stored in PBS (pH 7.4) containing 0.05% sodium azide and up to 5% trehalose.
Preservative	0.05% Sodium Azide
Storage	Shipped at 4 °C. Upon delivery store at -20 °C. Dilute in PBS (pH7.3) before use. Stable for 12 months from date of receipt. Avoid repeated freeze-thaws.

GENE INFORMATION

Entrez Gene ID	<u>5708</u>
UniProt ID	Q13200