



Recombinant HCV Nonstructural Protein 4 (a.a. 1916-1947) (DAG-P2645)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Product Overview	Hepatitis C Virus Hepatitis C Virus NS4 protein fragment
Antigen Description	NS4 A/B are two of the seven nonstructural (NS) proteins making up the HCV polyprotein. The NS proteins recruit the viral genome into an RNA replication complex, which is associated with rearranged cytoplasmic membranes. NS4A acts as a cofactor with the NS3 serine protease and stabilizes its folding. The NS3-NS4A complex is essential for the activation of the latter and allows membrane anchorage of NS3. HCV is a positive, single-stranded RNA virus in the Flaviviridae family. The genome is approximately 10,000 nucleotides and encodes a single polyprotein of about 3,000 amino acids. HCV is responsible for a large proportion of worldwide chronic viral hepatitides. Most of these infections develop into chronic hepatitis, which often progresses to liver cirrhosis and hepatocellular carcinoma. At present, (unlike hepatitis A and B), there is no vaccine to prevent hepatitis C infection. The hepatitis C virus (HCV) nonstructural protein 4B (NS4B) is a relatively hydrophobic 27-kDa protein. The 4A protein has a molecular weight of 6 kDa.
Species	HCV
Purity	> 95 % by SDS-PAGE.Purity of proteins is evaluated by SDS-PAGE
Conjugate	Unconjugated
Applications	WB ELISA Flow Cyt SDS-PAGE
Bio-activity	Strongly reacts with human HCV positive serum.
Format	Liquid
Buffer	Preservative: None Constituents: 50% Glycerol, 0.2% Triton-X, 1.5M Urea, 25mM Tris HCl, pH 8

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Preservative	None
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. Preservative: None Constituents: 50% Glycerol, 0.2% Triton-X, 1.5M Urea, 25mM Tris HCl, pH 8

BACKGROUND

Introduction	Hepatitis C Virus is a positive, single stranded RNA virus in the Flaviviridae family. The genome is approximately 10,000 nucleotides and encodes a single polyprotein of about 3,000 amino acids. The polyprotein is processed by host cell and viral protease
Keywords	HCV; HCV NS4; Hepatitis C Virus nonstructural antigen 4; Non structural protein 4A; Non structural protein 4B; NS4A; NS4B; p27; p8