



Recombinant HCV type 1b Active Nonstructural Protein 3 (aa 1359 - 1456) (DAG-P2947)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| | |
|----------------------------|---|
| Product Overview | Active hepatitis c virus Hepatitis C virus Genotype 1b NS3 protein fragment |
| Antigen Description | The nonstructural protein NS3 of the hepatitis C virus (HCV) is indispensable for virus replication and a multifunctional enzyme that contains three catalytic activities such as serine protease, helicase, and NTPase. The N-terminal domain of the protein contains protease activity and the C-terminal domain contains nucleotide triphosphatase and RNA helicase activity. It has been shown that NS2/3 cleavage is mediated by NS2-3 protease, whereas NS3 serine protease is responsible for the other four cleavage sites of the nonstructural (NS) region. Immunoblot analysis on serum samples from 90 patients with chronic hepatitis C virus infection revealed four putative immunogenic regions within the NS3 protein of the virus: E (around amino acids 1250/1251), A (within amino acids 1250-1334), A/B (around amino acids 1323 and 1334), and B/C (around amino acids 1407 and 1412). Among them, region E was most immunodominant, and region A was recognized much less frequently by patients with cirrhosis than by those with chronic hepatitis. |
| Species | HCV |
| Purity | > 95 % by SDS-PAGE. This antigen is purified by proprietary chromatographic techniques. Purity >95% by SDS-PAGE and RP-HPLC |
| Conjugate | Unconjugated |
| Applications | WB ELISA |
| Bio-activity | Immunoreactive with sera of HCV-infected individuals. |
| Format | Liquid |

| | |
|---------------------|--|
| Buffer | Preservative: None Constituents: 50% Glycerol, 1.5M Urea, 25mM Tris HCl, 1mM EDTA, pH 7.5 |
| Preservative | None |
| Storage | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze/thaw cycles. |

BACKGROUND

| | |
|---------------------|---|
| Introduction | Hepatitis C Virus is a positive, single stranded RNA virus in the Flaviviridae family. The genome is approximately 10,000 nucleotides and encodes a single polyprotein of about 3,000 amino acids. The polyprotein is processed by host cell and viral protease |
| Keywords | Serine protease/NTPase/helicase NS3; HCV Genotype 1b NS3 |