



## Florfenicol Amine [BSA] (DAGA-192B)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

Antigen Description	Fiorre	nicoi	are	broac	sp	ect	rum	antib	Olotics	s closely	relate	ea in stri	ucture an	a act	ivity	το	

chloramphenicol. Florfenicol have similar antibacterial spectra to chloramphenicol but have not been associated with aplastic anaemia. Both drugs have been used for the treatment of infectious diseases in cattle, pigs and poultry. Florfenicol is used extensively in veterinary medicine and its use in food producing animals could result in potentially harmful

concentrations in tissue, organs and milk.

Conj	ugate	BSA

Applications LFIA

Format Liquid

**Concentration** Batch dependent - please inquire should you have specific requirements.

Size 1 mg

Buffer 0.01M pH7.4 PBS

**Preservative** None

**Storage** Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

## **BACKGROUND**

**Keywords** Florfenicol Amine; Florfenicol;

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221