



Recombinant HIV type O Antigen, Coating [PM-O156] (DAGA-365)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| Antigen | Descri | otion | |
|---------|--------|-------|--|

The human immunodeficiency virus (HIV) is a lentivirus (a subgroup of retrovirus) that causes the acquired immunodeficiency syndrome (AIDS), a condition in humans in which progressive failure of the immune system allows life-threatening opportunistic infections and cancers to thrive. Without treatment, average survival time after infection with HIV is estimated to be 9 to 11 years, depending on the HIV subtype. Infection with HIV occurs by the transfer of blood, semen, vaginal fluid, pre-ejaculate, or breast milk. Within these bodily fluids, HIV is present as both free virus particles and virus within infected immune cells.

| Purity | >90% |
|------------------|---|
| Conjugate | TBD |
| Applications | The product is well suited for LF. For in vitro diagnostic use |
| Molecular Weight | 67 KD |
| Format | Liquid |
| Concentration | Batch dependent - please inquire should you have specific requirements. |
| Size | 1 mg |
| Buffer | 250mM Glycine +25mM Tris-HCl +1/K SDS(PH=8.0) |
| Preservative | None |
| Storage | Store at 2-8°C and at -20°C for long-term storage. Don't repeated freeze-thaw |

BACKGROUND

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

| Group VI (ssRNA-RT);Retroviridae;Lentivirus HIV;Human Immunodeficiency Virus type 1, type |
|---|
| 2, and Subtype O;HIVSav 1/2/0;HIV type O;HIV-O |