



Magic[™] Anti-CRP monoclonal antibody, clone DSQ246 (DCAB-TJ229)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Specificity Human C-reactive protein. Recognizes antigen both in the presence and in the absence (samples containing EDTA) of Ca2+. Immunogen Human CRP, derived from pleural/ascetic fluid or plasma. Isotype IgG1 Source/Host Mouse Species Reactivity Human Clone DSQ246 Affinity Constant Kd = 4.4 x 10-9 Purification > 90% pure (SDS-PAGE). Protein A Chromatography Conjugate Unconjugated Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid Concentration 3.1 mg/mL	Antigen Description	The protein encoded by this gene belongs to the pentaxin family. It is involved in several host defense related functions based on its ability to recognize foreign pathogens and damaged cells of the host and to initiate their elimination by interacting wi
Source/Host Mouse	Specificity	
Source/Host Mouse Species Reactivity Human Clone DSQ246 Affinity Constant Kd = 4.4 x 10-9 Purification > 90% pure (SDS-PAGE). Protein A Chromatography Conjugate Unconjugated Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Immunogen	Human CRP, derived from pleural/ascetic fluid or plasma.
Species Reactivity Human Clone DSQ246 Affinity Constant Kd = 4.4 x 10-9 Purification > 90% pure (SDS-PAGE). Protein A Chromatography Conjugate Unconjugated Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Isotype	IgG1
Clone DSQ246 Affinity Constant Kd = 4.4 x 10-9 Purification > 90% pure (SDS-PAGE). Protein A Chromatography Conjugate Unconjugated Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Source/Host	Mouse
Affinity Constant Kd = 4.4 x 10-9 Purification > 90% pure (SDS-PAGE). Protein A Chromatography Conjugate Unconjugated Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Species Reactivity	Human
Purification > 90% pure (SDS-PAGE). Protein A Chromatography Conjugate Unconjugated Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Clone	DSQ246
Conjugate Unconjugated Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Affinity Constant	$Kd = 4.4 \times 10-9$
Applications Suitable for use in ELISA and Immunoaffinity purification. Each laboratory should determine an optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Purification	> 90% pure (SDS-PAGE). Protein A Chromatography
optimum working titer for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. Format Purified, Liquid	Conjugate	Unconjugated
<u> </u>	Applications	optimum working titer for use in its particular application. Other applications have not been
Concentration 3.1 mg/mL	Format	Purified, Liquid
	Concentration	3.1 mg/mL

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Size	1 mg
Buffer	PBS, pH 7.4
Preservative	0.1% Sodium Azide
Storage	Store at 2-8°C.

GENE INFORMATION

Gene Name	CRP C-reactive protein, pentraxin-related [Homo sapiens (human)]
Official Symbol	CRP
Synonyms	CRP; C-reactive protein, pentraxin-related; PTX1; C-reactive protein; pentraxin 1;
Entrez Gene ID	1401
Protein Refseq	<u>NP_000558</u>
UniProt ID	<u>P02741</u>
Chromosome Location	1q23.2
Pathway	Classical antibody-mediated complement activation, organism-specific biosystem; Complement cascade, organism-specific biosystem; Creation of C4 and C2 activators, organism-specific biosystem; IL6-mediated signaling events, organism-specific biosystem; Imm
Function	cholesterol binding; choline binding; low-density lipoprotein particle binding; metal ion binding; protein binding; protein homodimerization activity