



Magic™ Anti-AKT1 (Phospho S473) monoclonal antibody, clone FQ3210Z (DCABH-9993)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

| Product Overview | Rabbit monoclonal to AKT1 (phospho S473) |
|---------------------|--|
| Antigen Description | Plays a role as a key modulator of the AKT-mTOR signaling pathway controlling the tempo of the process of newborn neurons integration during adult neurogenesis, including correct neuron positioning, dendritic development and synapse formation (By similarity). General protein kinase capable of phosphorylating several known proteins. Phosphorylates TBC1D4. Signals downstream of phosphatidylinositol 3-kinase (Pl(3)K) to mediate the effects of various growth factors such as platelet-derived growth factor (PDGF), epidermal growth factor (EGF), insulin and insulin-like growth factor I (IGF-I). Plays a role in glucose transport by mediating insulin-induced translocation of the GLUT4 glucose transporter to the cell surface. Mediates the antiapoptotic effects of IGF-I. Mediates insulin-stimulated protein synthesis by phosphorylating TSC2 at Ser-939 and Thr-1462, thereby activating mTORC1 signaling and leading to both phosphorylation of 4E-BP1 and in activation of RPS6KB1. Promotes glycogen synthesis by mediating the insulin-induced activation of glycogen synthase. The activated form can suppress FoxO gene transcription and promote cell cycle progression. Essential for the SPATA13-mediated regulation of cell migration and adhesion assembly and disassembly. |
| Specificity | This antibody detects AKT1 phosphorylated at Serine 473. |
| Target | AKT1 |
| Immunogen | A phospho specific peptide corresponding to residues surrounding Ser473 of human AKT1. |
| Isotype | IgG |
| Source/Host | Rabbit |
| Species Reactivity | Mouse, Rat, Human |

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Email: info@creative-diagnostics.com

| Clone | FQ3210Z |
|------------------|--|
| Conjugate | Unconjugated |
| Applications | IHC-P, ICC, WB |
| Positive Control | 3T3 cell lysate treated with PDGF. Cervical carcinoma. |
| Format | Liquid |
| Size | 40 μΙ |
| Buffer | PBS 49%,Sodium azide 0.01%,Glycerol 50%,BSA 0.05% |
| Preservative | 0.1% Sodium Azide |
| Storage | store at -20°C. Avoid freeze / thaw cycles. |
| Ship | Shipped at 4°C. |
| | |

GENE INFORMATION

| Gene Name | AKT1 v-akt murine thymoma viral oncogene homolog 1 [Homo sapiens] |
|---------------------|---|
| Official Symbol | AKT1 |
| Synonyms | AKT1; v-akt murine thymoma viral oncogene homolog 1; RAC-alpha serine/threonine-protein kinase; AKT; PKB; PRKBA; RAC; PKB alpha; RAC-PK-alpha; proto-oncogene c-Akt; protein kinase B alpha; rac protein kinase alpha; PKB-ALPHA; RAC-ALPHA; MGC99656; |
| Entrez Gene ID | 207 |
| Protein Refseq | NP_001014431 |
| UniProt ID | B0LPE5 |
| Chromosome Location | 14q32.32-q32.33 |
| Pathway | AKT phosphorylates targets in the cytosol, organism-specific biosystem; AKT phosphorylates targets in the nucleus, organism-specific biosystem; AKT-mediated inactivation of FOXO1A, organism-specific biosystem; Activation of BAD and translocation to mitochondria, organism-specific biosystem; Activation of BH3-only proteins, organism-specific biosystem; Acute myeloid leukemia, organism-specific biosystem; Acute myeloid leukemia, conserved biosystem; |

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Function

ATP binding; ATP binding; enzyme binding; identical protein binding; kinase activity; nitric-oxide synthase regulator activity; nucleotide binding; phosphatidylinositol-3,4,5-trisphosphate binding; phosphatidylinositol-3,4-bisphosphate binding; protein bi