



## **Anti-DPP4 polyclonal antibody (DPAB-DC776)**

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

Antigen Description	The protein encoded by this gene is identical to adenosine deaminase complexing protein-2, and to the T-cell activation antigen CD26. It is an intrinsic membrane glycoprotein and a serine exopeptidase that cleaves X-proline dipeptides from the N-terminus of polypeptides.
Immunogen	A synthetic peptide corresponding to human DPP4. The sequence is C-PPHFDKSKKYP
Source/Host	Goat
Species Reactivity	Rat
Purification	Antigen affinity purification
Conjugate	Unconjugated
Applications	WB (Tissue lysate), ELISA,
Format	Liquid
Concentration	0.5 mg/mL
Size	100 μg
Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)
Preservative	0.02% Sodium Azide
Storage	Store at -20°C. Aliquot to avoid repeated freezing and thawing.

## **GENE INFORMATION**

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Gene Name	DPP4 dipeptidyl-peptidase 4 [ Homo sapiens (human) ]
Official Symbol	DPP4
Synonyms	DPP4; dipeptidyl-peptidase 4; CD26; ADABP; ADCP2; DPPIV; TP103; dipeptidyl peptidase 4; ADCP-2; DPP IV; dipeptidylpeptidase 4; dipeptidyl peptidase IV; T-cell activation antigen CD26; adenosine deaminase complexing protein 2; dipeptidylpeptidase IV (CD26, adenosine deaminase complexing protein 2);
Entrez Gene ID	<u>1803</u>
Protein Refseq	NP_001926
UniProt ID	<u>P27487</u>
Chromosome Location	2q24.3
Pathway	Incretin synthesis, secretion, and inactivation; Peptide hormone metabolism; Protein digestion and absorption; Synthesis, secretion, and inactivation of Glucose-dependent Insulinotropic Polypeptide (GIP)
Function	aminopeptidase activity; dipeptidyl-peptidase activity; identical protein binding; protease binding