



## Anti-PLAGL2 (N-terminal) polyclonal antibody (DPABH-01969)

This product is for research use only and is not intended for diagnostic use.

### PRODUCT INFORMATION

<b>Antigen Description</b>	Shows weak transcriptional activatory activity.
<b>Immunogen</b>	A 19 amino acid synthetic peptide near the N terminus of Human PLAGL2.
<b>Isotype</b>	IgG
<b>Source/Host</b>	Rabbit
<b>Species Reactivity</b>	Mouse, Rat, Human
<b>Purification</b>	Immunogen affinity purified
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	ICC/IF, WB
<b>Format</b>	Liquid
<b>Size</b>	100 µl
<b>Buffer</b>	Constituent: 99% PBS
<b>Preservative</b>	0.02% Sodium Azide
<b>Storage</b>	Store at 4°C short term (1-2 weeks). Aliquot and store at -20°C long term. Avoid repeated freeze / thaw cycles.

### GENE INFORMATION

<b>Gene Name</b>	<a href="#">PLAGL2 pleiomorphic adenoma gene-like 3 [ Homo sapiens ]</a>
------------------	--

<b>Official Symbol</b>	PLAGL2
<b>Synonyms</b>	PLAGL2; pleiomorphic adenoma gene-like 2; ZNF900; zinc finger protein PLAGL2; C2H2-type zinc finger protein; pleiomorphic adenoma-like protein 2;
<b>Entrez Gene ID</b>	<a href="#">5326</a>
<b>Protein Refseq</b>	<a href="#">NP_002648.1</a>
<b>UniProt ID</b>	<a href="#">Q9UPG8</a>
<b>Function</b>	RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of transcription; metal ion binding; sequence-specific DNA binding; sequence-specific DNA binding transcription fac