



# Anti-CWC27 monoclonal antibody (DCABH-201437)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Antigen Description</b>	CWC27 (CWC27 spliceosome-associated protein homolog ( <i>S. cerevisiae</i> )) is a protein-coding gene. Diseases associated with CWC27 include colon cancer, and pneumonia. GO annotations related to this gene include peptidyl-prolyl cis-trans isomerase activity. An important paralog of this gene is PPIH. PPIases accelerate the folding of proteins (By similarity).
<b>Immunogen</b>	A synthetic peptide of human SDCCAG10 is used for rabbit immunization.
<b>Isotype</b>	IgG
<b>Source/Host</b>	Rabbit
<b>Species Reactivity</b>	Human
<b>Purification</b>	Protein A
<b>Conjugate</b>	Unconjugated
<b>Applications</b>	WB, ELISA
<b>Size</b>	1 mg
<b>Buffer</b>	In 1x PBS, pH 7.4
<b>Preservative</b>	None
<b>Storage</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">CWC27 CWC27 spliceosome-associated protein homolog (<i>S. cerevisiae</i>) [ <i>Homo sapiens</i> (human) ]</a>
<b>Official Symbol</b>	CWC27
<b>Synonyms</b>	CWC27; CWC27 spliceosome-associated protein homolog ( <i>S. cerevisiae</i> ); NY-CO-10; SDCCAG10; peptidyl-prolyl cis-trans isomerase CWC27 homolog; PPIase CWC27; PPIase SDCCAG10; antigen NY-CO-10; peptidyl-prolyl cis-trans isomerase SDCCAG10; serologically

defined colon cancer antigen 10;

---

<b>Entrez Gene ID</b>	<a href="#">10283</a>
<b>Protein Refseq</b>	<a href="#">NP_005860</a>
<b>UniProt ID</b>	<a href="#">Q6UX04</a>
<b>Chromosome Location</b>	5q12.3
<b>Function</b>	peptidyl-prolyl cis-trans isomerase activity;

---