



## **Human GOT2 blocking peptide (CDBP1396)**

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

<b>Product Overview</b>	Blocking/Immunizing peptide for anti-GOT2 (aa 295 to 306) antibody
Antigen Description	Glutamic-oxaloacetic transaminase is a pyridoxal phosphate-dependent enzyme which exists in cytoplasmic and inner-membrane mitochondrial forms, GOT1 and GOT2, respectively. GOT plays a role in amino acid metabolism and the urea and tricarboxylic acid cycles. The two enzymes are homodimeric and show close homology. Two transcript variants encoding different isoforms have been found for this gene.
Species	Human
Conjugate	Unconjugated
Applications	Apuri, BL, ELISA
Format	Lyophilized powder
Size	100 μg
Preservative	None
Storage	Shipped at ambient temperature, store at -20°C.

## **GENE INFORMATION**

Gene Name	GOT2 glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2) [ Homo sapiens ]
Official Symbol	GOT2
Synonyms	GOT2; glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2); aspartate aminotransferase, mitochondrial; KAT4; KATIV; kynurenine aminotransferase IV;

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

© Creative Diagnostics All Rights Reserved

mitAAT; FABP-1; FABPpm; mAspAT; transaminase A; fatty acid-binding protein; glutamate oxaloacetate transaminase 2; plasma membrane-associated fatty acid-binding protein; FLJ40994;

Entrez Gene ID	<u>2806</u>
mRNA Refseq	NM 002080
Protein Refseq	NP_002071
UniProt ID	P00505
Chromosome Location	16q21
Pathway	Alanine and aspartate metabolism, organism-specific biosystem; Alanine, aspartate and glutamate metabolism, organism-specific biosystem; Alanine, aspartate and glutamate metabolism, conserved biosystem; Amino acid synthesis and interconversion (transamination), organism-specific biosystem; Arginine and proline metabolism, organism-specific biosystem; Arginine and proline metabolism, conserved biosystem; Cysteine and methionine metabolism, organism-specific biosystem;
Function	L-aspartate:2-oxoglutarate aminotransferase activity; L-aspartate:2-oxoglutarate aminotransferase activity; L-aspartate:2-oxoglutarate aminotransferase activity; L-phenylalanine:2-oxoglutarate aminotransferase activity; pyridoxal phosphate binding;